



INDEX MAPS.

T.10N R.3W 2nd Mer.



T. R. Mer.



The figures on the lines refer to the page.

Township N^o 10. North of Range N^o 3 Twp 2nd Mer. (Ind.)

Ch. Lk.

South Boundary

East On a Random line between Towns N^o 9 & 10 North Range N^o 3 Twp. 6 miles & 139 links full 2 ch North of Town Corner. Corrected the line

West On the South Boundary of sec. 36. T. N^o 10 R. N^o 3 Twp. 2nd Mer.

40.00 Set a post for the cor. of 1/4 sec. from which a Poplar 40 in dia: bears N 16 E. 48 links dist; & a Beech 30 " " " S 47 N. 28 " "

80.00 Set a post for the cor. of sec. 35 & 36 from which a Beech 20 in dia: bears N 81 E. 28 links dist; & a Sugar. 10 " " " S 32 N. 11 " "

Good land; Timber Beech Poplar &c

West On the South Boundary of sec 35 T. N^o 10 R. N^o 3 Twp. 2nd Mer. Ind.

0.50 To a Brook. 10 links wide, Corner N. W.

40.00 Set a post for the cor. of 1/4 sec. from which a Beech 12 in dia: bears N 70 N. 8 links dist; & a Oak 5 " " " S 32 E. 18 " "

80.00 Set a post for the cor. of sec. 34 & 35 from which a W. Oak. 16 in dia: bears S 52 E. 50 links dist; & a Beech 15 " " " N 19 N. 22 " "

Land flat & wet; Timber Beech on the 1st 1/2 mile On the 2nd 1/2 mile Good land Timber Oak & Sugar

West On the South Boundary of sec. 34 T. N^o 10 R. N^o 3 Twp.

40.00 Set a post for the cor. of 1/4 sec. from which a Sugar. 14 in dia: bears S 38 E. 22 links dist; & a Oak 14 " " " N 11 N. 21 " "

80.00 Set a post for the cor. of sec 33 & 34 from which a Beech 6 in dia: bears N 12 E. 10 links dist; & a

T. N^o 10. N.R. N^o 377. 2nd Mer. Ind.

Buck 13 in diam bears S 33. W. 31 links dist
Sando soil and timber same as the last mile

West On the South Boundary of sec. 33 T. N^o 10. N.
R. N^o 377. 2nd Mer.

40.00 Set a post for the cor. of 1/4 sec. from which a
W. Oak. 5 in diam. bears N 73 E. 4 links dist; 1st
Ironwork 3 " " " S 73 W. 8 " "

68.50 Ironwork 30 links wide, Course N.W.

80.00 Set a post for the cor. of sec. 32. & 33. from which a
Sugar 13 in diam. bears N 58 E. 4 links dist; 1st
Oak. 18 " " " S 35 W. 30 " "
Sando soil and timber same as last mile

West On the South Boundary of sec. 32 T. N^o 10. N.R.
N^o 377. 2nd Mer.

2.50 Ironwork 30 links wide, Course S.W.

40.00 Set a post for the cor. of 1/4 sec. from which a
Sugar. 14 in diam. bears S 47 W. 6 links dist; 1st
Buck. 12 " " " N 30 E. 12 " "

80.00 Set a post for the cor. of sec. 31. & 32 from which a
Oak. 40 in. diam. bears N 44 E. 14 links dist; 1st
Buck. 13 " " " S 52 W. 12 " "
Sando soil; Timber Buck.

West On the South Boundary of sec. 31. T. N^o 10. N.
R. N^o 377.

40.00 Set a post for the cor. of 1/4 sec. from which a
Sugar. 15 in diam. bears N 37 E. 15 links dist; 1st
Buck 6 " " " S 60 W. 18 " "

81.39 Fell 100 links South of the Temp. 1/4 corner of
Towns. 9 & 10. N.R. S 38 1/2 W. made set a post from
which a Hackberry 15 in diam. bears N 47 W. 13 links

T. N^o 10. N.R. N^o 37. 2nd Mer. Sec.

dist; and Hackberry 13 in dist: bears S53E. 5th distant.

East Boundary

April 10 1871

B 143

North On the East Boundary of sec. 36. T. N^o 10. N.R. N^o 37. From the cor. of Twp. 9 + 10. 9th 213th.

16.00 To a Brook. 12th mile, Course N.W.

25.00 " on N. Oak, 30 in dist: Stands in the line.

40.00 Set apart for the cor. of 1/4 sec. from which a
Elm 15 in. dist: bears S75E. 5th trees dist; 1st
Beech. 14 " " S78th 39 " "

64.00 To a N. Oak. 18 in dist: Stands in the line.

76.00 To a Brook. 10th trees mile; Course N.W.

80.00 Set apart for the cor. of sec. 25 + 36 from which a
Beech 10 in dist: bears S64E. 12th trees dist; 1st
Lr. 12 " " " S73th 50 " "
That Beech stands on the 1st 1/4 mile; Land
and; Timber Elm & Maple.

North On the East Boundary of sec. 25 T. N^o 10. N.R. 37

40.00 Set apart for the cor. of 1/4 sec. from which a
Elm 6 in. dist: bears N37th 2th trees dist; 1st
Beech. 5 " " " S35E. 30 " "

65.50 To a B. Oak. 30 in dist: Stands in the line.

80.00 Set apart for the cor. of sec. 24 + 25. from which a
Sugar. 13 in dist: bears N74E. 15th trees dist; 1st
Beech 17 " " " N50th 19 " "
Land soil and Timber same as last mile.

North On the East Boundary of sec. 24. T. N^o 10. N.R. 37

32.50 To an Elm 24 in dist: Stands in the line

40.00 Set apart for the cor. of 1/4 sec. from which a

T. N^o 10. N.R. N.R. W. 2nd Mer. Ind:

	Wick 12 in. dia: bears S 51 N. 11 miles dist; 1 st
	Beck 12 " " S 76 E. 12 " "
46.00	Trabrook 12 miles wide, Course N.E.
65.50	" " " " " " " "
80.00	Set apart for the cor. of sec. 13 & 24 from which a Sugar. 17 in dia: bears S 10 N. 30 miles dist; 1 st Co. 14 " " " N 25 E. 37 " " Good land land; Timber Beech Sugar Poplar &c
North	On the East Boundary of sec. 13. T. N ^o 10. N.R. 3 rd W
13.00	Is a Poplar. 40 in dia: stands in the line
37.50	" " " " " " " "
40.00	Set apart for the cor. of 1/4 sec. from which a Beck 8 in dia: bears S 12 E 13 miles dist; 1 st Co. 10 " " " S 32 N. 21 " "
74.50	Traspring run. 8 miles wide, Course N.E.
80.00	Set apart for the cor. of sec. 12 & 13 from which a Beck. 9 in dia: bears N 37 E. 21 miles dist; 1 st Co 12 " " " S 83 N. 28 " " Good soil and timber same as last mile.
North	On the East Boundary of sec. 12 T. N ^o 10. N.R.
	N ^o 3 rd W
21.00	Is a Poplar. 48 in dia: stands in the line
40.00	Set apart for the cor. of the 1/4 sec. from which a Beck. 16 in dia: bears S 8 N. 29 miles dist; 1 st Dogwood 4 " " " N 55 E 29 " "
55.00	Trabrook 20 miles wide, Course N.W.
80.00	Set apart for the cor. of sec. 1 & 12 from which a Poplar. 22 in dia: bears S 21 E. 21 miles dist; 1 st Beck 7 " " " N 75 N. 17 " " Good Beech land; 2 nd 1/2 mile hilly Beech Land

T. N. 10 N. R. N. 3 W. Q. 2^d Mer. Sec. 1

North	On the East Boundary of Sec. 1. T. N. 10. N. R. N. 3 W. 2 ^d Mer.
10.00	To a Bush 14 in. dist. stands in the line
40.00	Set a post for the cor. of 1/4 Sec. from which a Sycamore 50 in. dist. bears N 47 W. 36 lbs. dist. to Hackberry 14 " " " S 47 E. 20 " "
51.00	To White River 500 yds. side, Corner S. N.
80.00	Set a post for the cor. of Towns N. 10. 10. S 11. 11 N. R. 3 213 W. from which a Hackberry 12 in. dist. bears N 73 W. 9 lbs. dist. to Loc. 18 " " " S 23 E 8 " " Sandsville ends timber same as last. mile.

North Boundary

B174

East	On a Random line On the South Boundary of Sec. 31 T. N. 11. N. R. N. 3 W.
17.00	To a Brook 10 yds. side, Corner S.
40.00	Set a temporary post for the cor. of 1/4 Sec.
80.00	" " " " " " " " Sec. 31 & 32. Pretty good land. Timber Poplar, Birch &c

East	On the Random line On the South Boundary of Sec. 32 T. N. 11. N. R. N. 3 W.
26.30	To a Brook 12 lbs. side, Corner N.
40.00	Set a temporary post for the cor. of 1/4 Sec.
80.00	Set " " " " " " " " Sec. 32 & 33.

East	On a Random line On the South Boundary of Sec. 33. T. N. 11. N. R. N. 3 W.
40.00	Set a temporary post for the cor. of 1/4 Sec.
42.50	To a Brook 10 lbs. side, Corner N. N.
70.00	" " " 75 " " " S.
80.00	Set a post for the cor. of Sec. 33 & 34. T. N. 11. N. R. 3 W.

T. N^o 10. N. R. N^o 37. 2nd Mer. Ind.

Middling good Beech land.

East On the South Boundary of Sec. 34 T. N^o 11. N. R. N^o 37.

40.00 Set a temp. post for the cor. of 1/4 sec.

80.00 " " " " " " " " Set 34135.
Poor hilly Beech land.

East On the South Boundary of Sec. 35 T. N^o 11. N. R. N^o 37.

22.50 To a Brook 20 rods wide, Corner S. W.

40.00 Set a temp. post for the cor. of 1/4 sec.

80.00 Set a post (Temp.) for the cor. of sec. 35136
Hilly Beech land. &c

East On the South Boundary of Sec. 36 T. N^o 11. N. R. N^o 37. Handm. line

13.50 To a Brook 40 rods wide Corner S. W.

40.00 Set a temp. post for the cor. of 1/4 sec.

80.00 Struck the Township cor. for T^s 10. 10. 11. 11. N. R. 2. 137.

West Corrected and marked the line between Towns 10 & 11 N. R. N^o 37

West On the South Boundary of Sec. 36 T. N^o 11. N. R. N^o 37.

40.00 Set post on the true line for the cor. of 1/4 sec. from which
Walnut 9 in. diam bears. N 59 W. 22 the dist; &c

Buckeye 12 " " " 84 E. 81 " "

80.00 Set the temp. post on the true line for the cor. of sec.
35 & 36 T. N^o 11. N. R. N^o 37 from which
Syc. 17 in. diam bears S 75 E 17 the dist; &c

T. N. 10. N. R. N. 3 W. 2nd Mer. Ind.

Sugar 12 in dist. bears N 15 N. 30 links dist;

West On the true line On the South Boundary of sec. 35
T. N. 11. N. R. N. 3 W.
40.00 Set the temp. post on the true line for the cor. of
1/4 sec. from which an
Edm 24 in dist. bears S 65 E 23 links dist; to
Walnut 12 " " " S 74 N. 32 " "
80.00 Set the temp. post on the true line for the cor. of
sec. 34 & 35. T. N. 11. N. R. N. 3 W. from which a
Pech 16 in dist. bears S 13 E. 5 links dist; to
Loc. 20 " " " N 12 N. 30 " "

West On the true line On the South Boundary of sec. 34
T. N. 11. N. R. N. 3 W.
40.00 Set the post on the true line in fallen timber
no bearing
80.00 Set the temp. post on the true line for the cor. of sec.
33 & 34 T. N. 11. N. R. N. 3 W. from which a
Pech 10 in dist. bears N 81 E. 52 links dist; to
Loc. 16 " " " S 45 N. 32 " "

West On the true line On the South Boundary of sec. 33
T. N. 11. N. R. N. 3 W.
40.00 Set the temp. post on the true line for the cor. of 1/4
sec. from which a
Pech 6 in dist. bears N 30 N. 83 links dist; to
Loc. 14 " " " S 45 E. 34 " "
80.00 Set a post for the cor. of sec. 32 & 33 on the true line
from which an alk 14 in dist. bears N 19 E. 32 links dist.
under an alk 12 " " " S 43 N. 14 " "

West On the true line On the South Boundary of sec. 32

T. N^o 10. NR. N^o 37. 2nd Mer. Sec^o

T. N^o 11. NR. N^o 37

- 40.00 Set a post on the true line for the cor. of 14 sec from
which a Beech 9 in dia: bears S55 N. 21 the dist.
made a Sugar 14 " " " N10 E. 23 " "
80.00 Set a post for the cor. of sec. 31 & 32 from which a
Beech 16 in dia: bears N49 E. 17 the dist: to
Sec. 15 " " " S40 N. 31 " "

West On the true line On the South Boundary of sec 31
T. N^o 11. NR. N^o 37

- 40.00 Set the trumpet post on the true line for the cor. of 14 sec
from which a
Hogwood 3 in dia: bears S85 E. 2 the dist: to
Sugar. 12 " " " N50 N. 15 " "
80.00 To Township Cor.

West Boundary

April 29. 1812

B17

North On the East Boundary of sec 36 T. N^o 10 NR.
N^o 4 N. from the cor. of T^o 9 & 10 NR 3 & 4 N.

20.00 To a Sycamore 100 in dia: stands on the line.

40.00 Set a post for the cor. of 14 sec. from which a
Sycamore 48 in dia: bears N44 E. 12 the dist:
and a Hackberry 3 " " " S57 N. 21 " "

44.00 To N. River Corner S. N.

80.00 Set a post for the cor. of sec. 25 & 36 from which a
Beech 10 in dia: bears S24 E. 21 the dist: to
Sugar. 20 " " " N39 N. 23 " "
Line do not run bottom Timber Hackberry or

North On the East Boundary of sec. 25 T. N^o 10 NR. N^o
4 N. 2nd Mer.

14.00 To a Beech 18 in dia: stands on the line

T. N. 10. N. R. N. 3 W. 2nd (Mm. Ind.)

457

40.00	Set a post for the cor. of 1/4 sec. from which a Sugar. 13 in dir. bears S 4 E. 25 miles dist; & a Beck. 13 " " " N 33 W. 26 " "
75.50	To a Beck. 10 miles midy, Comes S. W.
80.00	Set a post for the cor. of sec. 24. & 25 from which a Beck. 16 in dir. bears S 27 E. 23 miles dist; & a Logan. 4 " " " N 11 W. 25 " " Pretty good land; Timber Beck, Sugar &c

North	On the East Boundary of sec. 24 T. N. 10. N. R. N. 4 W.
40.00	Set a post for the cor. of 1/4 sec. from which a Beck. 14 in dir. bears S 43 W. 19 miles dist; & a Lo. — " " " N 52 E. 17 " "
45.25	To a M. Oak, 17 in dir. stands in the line.
67.00	" " Beck. 8 miles midy, Comes S. W.
80.00	Set a post for the cor. of sec. 13. & 24 from which a Sugar. 14 in. dir. bears. N 42 E. 11 miles dist; & a Wick. 5 " " " S 64 W. 39 " " Willy upland; Timber Beck, Sugar, Poplar &c

North	On the East Boundary of sec. 13. T. N. 10. N. R. N. 4 W.
40.00	Set a post for the cor. of 1/4 sec. from which a Beck. 16 in dir. bears S 27 W. 16 miles dist; & a Sugar. 10 " " " N 42 E. 31 " "
71.50	To a M. Oak. 60 in dir. stands in the line
80.00	Set a post for the cor. of sec. 12 & 13 from which a Sugar. 16 in dir. bears S 22 W. 17 miles dist; & a Lo. 9 " " " N 73 E. 30 " " Willy rich land; Timber Sugar, Beck &c

North	On the East Boundary of sec. 12. T. N. 10. N. R. N. 4 W.
24.50	To a Beck. 14 in dir. stands in the line
40.00	Set a post for the cor. of 1/4 sec. from which a

T. N^o 10. N.R. N^o 37th 2nd Mer. Ind.^o

W. Oak 20 in dia: bears S13E. 25 links dist; to
 Buck. 18 " " " N15E. 12. " "
 80.00 Set apart for the cor. of sec. 1 & 12 from which
 Buck. 16 in dia: bears S107N. 30 links dist; to
 Sugar. 9 " " " N30E. 26 " "
 Good land; Timber Buck. Sugar, &c

North On the East Boundary of Sec. 1 T. N^o 10. N.R. N^o 47th
 11.00 Iron Poplar. 30 in dia: Stands in the line
 40.00 Set apart for the cor. of 1/4 sec. from which
 Sugar. 10 in dia: bears S72E. 19 links dist; to
 Oak 10 " " " West 30 " "
 80.00 Set apart for the cor. off Towns 10. 10. & 11. 11 N.R.
 3 & 4 N. from which
 W. Oak. 30 in dia: bears S42E. 34 links dist; to
 Buck. 18 " " " N77W. 38 " "
 Pretty good land; Timber Buck. Sugar &c
 Surveyed by
 James Holmes L.S.

Subdivisions

N. 5° 25'

West Between Sec. 24 & 25. T. N^o 10. N.R. N^o 37th.
 40.00 Set apart for the cor. of 1/4 sec. from which
 Sugar. 6 in dia: bears S84E. 9 links dist; to
 Oak. 10 " " " N31W. 23. " "
 80.00 Set apart for the cor. of sec. 23, 24, 25, & 26; a Buck.
 10 in dia: Stands for the cor. from which
 W. Oak. 14 in dia: bears N87W. 12 links dist;
 Good rolling & good for farming; East 1/2 N. rate
 Buck, Poplar, Oak, Walnut Sugar &c

South On a Random line between Sec. 25 & 26 T. N^o 10. N.R.
 N^o 37th. N. 7° 10'

T. N^o 10. N.R. N^o 37. 2nd Mer. Sec.

- 40.00 Set a temporary post for the cor. of 14 sec.
 65.00 To a Brook. 30 links mid., Corner N.W.
 79.16 Intersect the E & West line 19 links West of the post.
 cor. of sec. 25, 26, 35 & 36.
 Land is good and some upland rather rich; Timber
 Beech, Sugar. Oak & Gum.

- North Between Sec. 25 & 26 T. N^o 10. N.R. N^o 37.
 39.58 Set the temporary post at the corner dish on the true line
 for the cor. of 14 sec. from which
 Sugar. 14 in. dist. bears S 7 N. 11 links dish; 1 a
 Beech. 18 " " " N 40 E. 20 " "
 79.16 To the post cor. of sec. 23, 24, 25 & 26.

- West Between Sec. 23 & 26 T. N^o 10. N.R. N^o 37. v 520
 40.00 Set a post for the cor. of the 14 sec. from which
 Hickory 13 in dist. bears N 54 E. 10 links dish; 1 a
 W Oak. 15 " " " S 55 W. 24 " "
 42.00 To a Brook 20 links mid., Corner N.W.
 80.00 Set a post for the cor. of sec. 22, 23, 26 & 27 from which
 Beech. 12 in dist. bears N 67 N. 3 links dish; 1 a
 W Oak. 30 " " " N 3 E. 16 " "
 Land is good and good for farming; Timber same
 as last mile.

- North Between Sec. 22, & 23 T. N^o 10. N.R. N^o 37. v 710
 40.00 Set a post for the cor. of 14 sec. from which
 Sugar. 6 in dist. bears N 50 E. 10 links dish; 1 a
 W. 10 " " " S 74 W. 18 " "
 62.00 To a Brook. 30 links mid., Corner N.W.
 80.00 Set a post for the cor. of sec. 14, 15, 22, & 23 from which
 Beech. 12 in dist. bears S 19 W. 12 links dish; 1 a
 W. 14 " " " S 16 E. 22 " "

T. N. 10. N. R. No 37. 2nd Mer. Ind;

Part of this mile broken and ^{hilly, & part} good for farming
Similar same as last mile.

East Return Sec 14 & 23. T. N. 10. N. R. No 37. N. 5. 20'

40.00 Set a post for the cor. of 74 sec. from which a
Beck. 5 in. dia. bears S 46 E. 3 miles dist; 1st a
W. Ash. 14" " " N 84 W. 19" "

80.00 Set a post for the cor. of sec. 13. 14. 23 & 24 from which a
Beck. 12 in dia. bears S 77 E. 5 miles dist; 1st a
Sugar. 12" " " N 57 W. 21" "

Land broken with sink holes; rich soil; Similar
same as last mile.

South On a Random line between Sec. 23. & 24. T. N. 10. N. R. 37.

40.00 Set a temp. post for the cor. of 14 sec.

80.00 Introduced the ... E & W. line 75 miles West of the
post corner of sec. 23. 24. 25 & 26

Land nothing and good 2nd rate for farming
Similar same as last mile.

North On the true line between Sec. 23. & 24. T. N. 10. N. R. 37.

40.04 Set the temp. post at the app. dist on the true line for
the cor. of 74 sec. from which a

W. Ash. 9 in. dia. ^{bears} N 67 W. 23 miles dist; and a
Hickory 7" " bears N 34 E 10" "

80.08 To the post cor. of sec. 13. 14. 23 & 24

East On a Random line between Sec. 13 & 24. T. N. 10. N. R.
No 37.

40.00 Set a temp. post for the cor. of 74 sec.

81.00 Introduced the East Boundary 42. miles North
of the post cor. of sec. 13 & 24

Land middling good for farming; good 2nd rate.

461

T. N^o 10. N.R. N^o 377. 2nd Mer. Sub.

Timber Same as last mile

*West. On the true line between Sec. 13 & 24. T. N^o 10. N.R. N^o 377.
40.50 Set the temp. post at the av. dist. on the true line
for the cor. of $\frac{1}{4}$ sec. from which a
Beck. 6 in. dist. bears N 80 W 13 links dist; & a
W. ash. 24 " " " N 19 E. 12 " "
81.00 To the post cor. of sec. 13 14. 23. & 24*

*North Between Sec. 13 & 14. T. N^o 10. N.R. N^o 377.
40.00 Set a post for the cor. of the $\frac{1}{4}$ sec. from which a
Beck. 11 in. dist. bears N 48 W. 6 links dist; & a
Ho. 14 " " " S 83 E. 38 " "
80.00 Set a post for the cor. of sec. 11. 12. 13. & 14 from which a
Sugon. 15 in. dist. bears N 14 E. 13 links dist; & a
Beck. 10 " " " S 15 W. 34. " "
Sandy rolling and R^t rate for farming.
Timber Beck. Sugar Walnut & Poplar.*

*East On a Random line between Sec. 12 & 13. T. N^o 10. N.R. N^o 477.
40.00 Set a temp. post for the cor. of $\frac{1}{4}$ sec.
80.58 Into out the East Boundary 10 links North of the
post cor. of sec. 12 & 13.
Sandy West $\frac{1}{2}$ good for farming; the East $\frac{1}{2}$ rather
broken with quite holes.*

*West. On the true line between Sec. 12 & 13. T. N^o 10. N.R. N^o 377.
40.29 Set the temp. post at the av. dist. on the true line for
the cor. of $\frac{1}{4}$ sec. from which a
Maple. 9 in. dist. bears S 9 E. 13 links dist; & a
Beck. 14 " " " N 53 W. 18 " "
80.58 To the post corner of sec. 11. 12. 13 & 14*

T. N^o 10. N.R. N^o 3. W. 2^d & 3^d Mer. Line.

North Return Sep. 11. & 12. T. N^o 10. N.R. N^o 3. W. 6. 45'
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
 Log made of in. dia. bears N 13 E. 17 miles dist; & a
 "Bech. 10 " " " S 27 W. 16 " "
 80.00 Set a post for the cor. of sec. 1. 2. 11. & 12 from which a
 Sugar 18 in dia. bears S 63 E. 26 miles dist; & a
 "Lo. 15 " " " N 59 W. 14 " "
 Lands including land and goods for farming
 Timber same as last mile

East On the true line between Sep. 1. & 12. T. N^o 10. N.R. N^o 3. W.
 40.00 Set a temp. post for the cor. of $\frac{1}{4}$ sec.
 66.00 To a Brook 13 miles wide, comes N.
 80.00 Intersected the N 13 or Range line 31 miles N. of
 the post cor. of sec. 1 & 12
 Lands rather broken. Timber same, Lands including
 goods for farming

West On the true line between Sep. 1. & 12. T. N^o 10. N.R. N^o 3. W.
 40.00 Set the temp. post at the adv. dist on the true line
 for cor. of $\frac{1}{4}$ sec. from which a
 "Bech. 12 in dia. bears S 61 E. 18 miles dist; & a
 "Lo. 14 " " " N 48 W. 40 " "
 80.00 To the post corner. of sec. 1. 2. 11. & 12.

North Return Sep. 1. & 12. T. N^o 10. N.R. N^o 3. W. v. 710
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
 Poplar. 10 in dia. bears S 42 E. 30 miles dist; A small
 Brook. — 10 miles wide, comes N.E.
 57.58 To the Left Bank of White River. Set a post for the
 cor. of sec. 1. & 12 from which a
 "Bech. 12 in dia. bears S 46 E. 23 miles dist; & a
 "Sugar. 15 " " " S 20 W. 23 " "

I N^o 10. N.R. N^o 37ⁿ. Quad Mer. S. 4^a.

North	Between Sec. 32 & 33 T. N ^o 10. N.R. N ^o 37 ⁿ . v 730
250	To a Brook. 15 miles wide, Corns West,
40.00	Set a post for the cor. of 1/4 Sec. from which a Beck 15 mi. dist. bears North. 15 miles dist; r a, Sugar. 9 " " " S 20 E. 34 " "
80.00	Set a post for the cor. of sec. 28, 29, 32, & 33 from which a Beck 15 mi. dist. bears S 36 E. 4 miles dist; r a, Lo. 14 " " " N 63 W. 37 " " Land lies in low hills; good for farming Timber Beech, Sugar, Poplar, Ash &c,
East	On a Random line between Sec. 28 & 33 T. N ^o 10. N.R. N ^o 37 ⁿ .
40.00	Set a temporary post for the cor. of 1/4 Sec.
79.87	Intersect the N & S line 39 miles South of the post. corner of sec. 27, 28, 33, & 34 Land soil and timber similar to the last mile.
West	On the true line between Sec. 28 & 33. T. N ^o 10. N.R. N ^o 37 ⁿ .
39.93	Set the temporary post at the cor. dist. on the true line for the cor. of 1/4 Sec. from which a Beck 3 mi. dist. bears S 89 E. 14 miles dist; r a, Lo - " " " S 88 W. 33 " "
49.87	To the post cor. of sections 28, 29, 32, & 33.
West	Between Sec. 29 & 32 T. N ^o 10. N.R. N ^o 37 ⁿ .
9.00	To a Spring branch. Corns S.
40.00	Set a post for the cor. of 1/4 Sec. from which a Beck 5 mi. dist. bears N 70 E. 12 miles dist; r a, Lo. 4 " " " S 33 W. 13 " "
70.10	To the Left Bank of White River set a post for the cor. of 1/4 Sec. 29 & 32 from which a Hackberry 12 mi. dist. bears N 53 E. 19 miles dist; r a, Sugar. 5 " " " S 19 E. 13 " "

Q. N^o 10. N. R. N^o 37. 2nd Mer. Line

Most of this mile river bottom of an excellent quality but a small part over. corn flms.

80.00 Set a post for the cor. of sec. 29, 30, 31 & 32 in W. River
Most of this mile bottom; rich and good for farming

South On a Random line between Sec. 31 & 32. T. N^o 10. N. R. N^o 37.

5.00 To the Left Bank of White River.

23.00 To the Left Bank " " "

49.50 " " " " " " "

80.44 Intersected the East & West line 82 links West of the post
cor. of sec. 31 & 32

Bottom land; South & rolling; 2nd rate farming land.

North On the true line between Sec. 31 & 32. T. N^o 10. N. R. N^o 37.

30.94 Set a post on the Left Bank of White River for the cor.
of sec. 31 & 32 from which a

Beach 18 in. dist. bears S 74 E. 23 links dist; or a

Line 94 " " S 66 W. 9 " "

57.44 Set a post on the Left Bank of White River for the
cor. of sec. 31 & 32 from which a

Maple 14 in. dist. bears N 58 E. 35 links dist; or a

Line 5 " " S 46 W. 10 " "

75.00 Set a post on the Left Bank of White River for the
cor. of sec. 31 & 32 from which a

Maple 12 in. dist. bears East 62 links dist; or

80.44 To the cor. of sec. 29, 30, 31 & 32 in White River.

South & good farming land.

North Between Sec. 28 & 29 T. N^o 10. N. R. N^o 37.

40.00 Set a post for the cor. of sec. from which a

Beach 9 in. dist. bears N 77 W. 12 links dist; or a

Line 12 " " S 40 E. 17 " "

63.87 Set a post on the Left Bank of White River for.

T. N. 10. N. R. N. 3 N. 2nd (Mn. Sec.;

- the cor. of sec 28 & 29 from which a
 Buckeye 12 in. dia. bears S 25 E 27 links dist; & a
 Elm 10. " " " N 5 E. 25. " "
 40.04 Set a post on the Right Bank of White River for the
 cor. of sec. 28 & 29 from which a
 Beech. 24 in. dia. bears N 64 W. 16 links dist; & a
 W. Oak. 8 " " " S 18 E. 5 " "
 80.00 Set a post for the cor. of sec. 21, 21, 28 & 29 from which
 A Beech. 9 in dia. bears S 53 E 18 links dist; & a
 Walnut 5 " " " N 86 W. 10 " "
 Land good for farming;

West Between Sec. 21 & 28 T. N. 10 N. R. N. 3 N. N 53° 30'
 16.19 To the Left Bank of White River Set a post on the
 Bank for the cor. of sec. 21 & 28 from which a
 Lym. 12 in dia. bears S 66 E 13 links dist; & a
 W. Beech 6 " " " S 27 W. 21 " "

East Between Sec. 21 & 28 T. N. 10 N. R. N. 3 N.
 40.00 Set a post for the cor. of sec. from which a
 Sugar. 18 in. dia. bears N 39 W. 17 links dist; & a
 Ho. 12 " " " S 32 W. 30 " "
 56.16 Set a post on the Right Bank of White River for the
 cor. of sec. 21 & 28 from which a
 Beech. 18 in dia. bears N 14 E. 14 links dist; & a
 Cherry 8 " " " S 31 W. 16 " "
 pt. rate level land; bottom.

North Between Sec. 1 & 2 T. N. 10 N. R. N. 3 N. Continues
 from the Left Bank of W. River. Set a post on
 the Right Bank of White River for the cor. of sec.
 1 & 2. from which
 Sycamore 30 in dia. bears S 41 E 3 links dist; & a

T. N^o 10. N.R. N^o 37th 2nd Mrs. And^r

81.11 Sugarcane 9 in dia: bears N55 W. 3 lks dist
Intersect the N Boundary 116 Yards West of the
Upst cor. of sec. 35 & 36 T. N^o 11. N.R. N^o 37th & set
apost for the cor. of sec. 1 & 2 from which
Sugm. 14 in dia: bears N55 W. 20 lks dist; & a
Lg. 4 " " " S11 W. 19 " "
Land good for farming;

North Between Sec. 21 & 22 T. N^o 10. N.R. N^o 37th.
16.00 Lost Brook 3 lks wide, corner N.
21.00 " " " 8 " " " "
25.00 " " " 6 " " " "
40.00 Set apart for the cor. of 1/4 sec. from which
Beck 18 in dia: bears S42 W. 4 lks dist; & a
No. 12 " " " N43 E. 21 " "
70.00 Set apart on the Left Bank of White River for the
cor. to sec. 21 & 22. from which
Beck 12 in dia: bears S9 E. 21 lks dist; & a
Oak 14 " " " N71 W. 16 " "
Land 10th rate bottom.

North Between Sec. 14 & 15 T. N^o 10. N.R. N^o 37th.
40.00 Set apart for the cor. of 1/4 sec. from which
W. Oak. 24 in dia: bears S50 W. 10 lks dist; & a
Beck 18 " " " N11 E. 32 " "
80.00 Set apart for the cor. of sec. 10. 11. 14 & 15 from which
Sugm. 12 in dia: bears N3 E. 29 lks dist; & a
W. Walnut 30 " " " N13 E. 28 " "
Part of this meadow rather broken with sink holes.
Well out; Sugar Maple Sugar Poplar & Walnut
Land good for farming;

West Between Sec. 10 & 15 T. N^o 10. N.R. N^o 37th.

T. N^o 10. NR N^o 377. 2nd Mer. Ind^o

- 40.00 Set a post for the cor. of 1/4 sec. from which
Sycar 15 in dist. bears N76E. 35 the dist; &c.
Do. 10 " " " S57W 34 " "
- 53.88 Set a post on the Left Bank of White River for the cor.
of sec. 10 & 15 from which
Maple Elm 9 in dist. bears S35W. 10 the dist; &c.
Locust 10 " " " N22E 17 " "
Land Division to the back mile 1st rate land.

- West Between Sec. 15 & 22 T. N^o 10. NR N^o 377.
- 40.00 Set a post for the cor. of 1/4 sec. from which
Sycar 14 in dist. bears S15E. 47 the dist; &c.
Do. 12 " " " N86W 28 " "
- 52.00 To a Brook. 20 miles wide, Course NW
- 65.36 Set a post on the Left Bank of White River for the
cor. of sec. 15 & 22 from which
Sycar 10 in dist. bears N47W. 6 the dist; &c.
Mulberry 10 " " " S76E. 35 " "

- East On a Random line between Sec. 11 & 14 T. N^o 10. NR N^o 377
- 3.50 To a Brook 10 miles wide, Course NW
- 40.00 Set a temporary post for the cor. of 1/4 sec
- 81.32 Enter cut the N & S line 19 miles North of the post
cor. of sec. 11. 12. 13 & 14
Land high, some small holes, rich soil good for
farming Timber Sugar, Poplar Walnut &c

- West On the true line between Sec. 11 & 14 T. N^o 10. NR N^o 377
- 40.66 Set the temporary post at the aver. dist on the true line for
the cor. of 1/4 sec. from which
Buck 18 in dist. bears N29W. 18 the dist; &c.
Sycar 12 " " " S33E. 26 " "
- 81.32 To the post cor. of sec. 10. 11. 14 & 15

T. N. 10. N. R. N. 3 W. 2nd Mer. Ind^a

North Return Sep. 10 & 11 T. N. 10 N. R. N. 3 W.
 5.00 To a Brook 15 hundred miles, Comes N W
 16.50 " " Spring Comes N.
 37.00 To a Brook in the River.
 40.00 The half mile or $\frac{1}{4}$ mi. cor. in the River.
 62.40 Set a post for the cor. of sec. 10 & 11 on the Left Bank
 of White River from which
 Sycamore 36 in. dia: trees S 86 E. 20 huts dist; 1 1/2
 69.15 To a Cottonwood on the Right Bank of White
 River for the cor. of sec. 10 & 11
 80.00 Set a post for the cor. of sec. 2, 3, 10 & 11 from which
 Sycamore 36 in. dia: trees N 73 E. 23 huts dist; 1 1/2
 Do. 30 " " " N 43 E. 22 " "
 North $\frac{1}{2}$ overflooded bottom; South $\frac{1}{2}$ rich splendid
 grade for farming;

East On a Random line between Sep. 2 & 11 T. N. 10 N. R. N. 3 W.
 8.15 To the Right Bank of W. River; a forest 4 mi. dist.
 stands for the cor. of sec. 2 & 11
 14.00 To the Left Bank of W. River
 40.00 Set a temporary post for the cor. of $\frac{1}{4}$ sec.
 81.60 Intersect the N & S line 20 huts E. of the post cor.
 of sec. 1, 2, 11 & 12
 Lands out and good for farming; Timber Sugar
 Walnut, Beech &c. Some such huts.

West On the true line between Sep. 2 & 11 T. N. 10 N. R. N. 3 W.
 40.80 Set the temporary post at the over dish on the true line
 for the cor. of $\frac{1}{4}$ sec. from which
 Beech 10 in. dia: trees S 33 W. 16 huts dist; 1 1/2
 Do. 15 " " " N 33 E. 20 " "
 64.00 Set a post on the Left Bank of White River for the
 cor. of sec. 2 & 11 from which

N. N. 10 N. R. N. 3 W. 2nd Mer. (Ind. 7)

81.60	<p>Beech 7 in dia: trees N 40 W 4 miles dist; & a Elm 18 " " " N 66 E 15 " " Set a post in of sec. 2, 3, 11 & 12</p>
North 6.00	<p>Return Sec. 20 & 3. T. N. 10. N. R. N. 4 W. r. 645 Set a post on the Right Bank of White River for the cor. of sec. 2 & 3 from which a Sycamore 24 in dia: trees S 44 E. 30 miles dist; LaBox Elm 10 " " " S 87 W. 25 " "</p>
36.00	<p>Set a post on the Right Bank of W River for the cor. of sec. 2 & 3 from which a Maple 9 in dia: trees N 60 W 11 miles dist; & a Sycamore 18 " " " S 71 E. 30 " "</p>
40.00	<p>Set a post for the cor. of 74 sec. from which a Buckeye 12 in dia: N 78 W. 39 miles dist; & an Elm 24 " " S 24 E. 38 " "</p>
80.89	<p>Enter out the N Boundary 148 miles West of the post cor. of sec. 34 & 35 T. N. 11. N. R. N. 3 W. & set a post for the cor. of sec. 2 & 3 from which a Beech. 12 in dia: trees S 75 E. 10 miles dist; & a Elm 9 " " " S 11 W. 19 " " This mile mostly over flooded bottom;</p>
North 40.00	<p>Return Sec. 20 & 21 T. N. 10. N. R. N. 3 W. Set a post for the cor. of 74 sec. from which a Beech 7 in dia: trees S 64 W. 4 miles dist; & a Elm 15 " " " S 87 W. 22 " "</p>
80.00	<p>Set a post for the cor. of sec. 16, 17, 20, & 21 from which a Beech. 14 in dia: trees N 30 W. 10 miles dist; & a Elm 8 " " " S 9 E. 31 " " Run South 3/4 first rate bottom. N 1/4 this 2 rate hills;</p>

N^o 10. N^o 37. 2nd Mer. Ind^r

East Between Sec 16 & 21 T. N^o 10. N^o 37. N^o 37. 14th 36
 4000 Set a trap post for the cor. of 14th Sec. from which
 Sugar 8 in dia: bears S 50th 7 1/2 mts dist; 1st
 Elm 9 " " " S 40 E. 13 " "
 8000 Set a post for the cor. of sec. 15. 16. 21 & 22 from which
 an Elm 14 in dia: bears S 29th 26 1/2 mts dist; 1st
 Sugar 18 " " " N 48th 20 " "
 West is 3rd rate hills; East is good bottom land

South Between Sec 21. 122 T. N^o 10. N^o 37
 2. 61 Set a post on the Right Bank of N. River for the
 cor. of tract Sec. 21 & 22 from which
 13 Walnut 30 in dia: bears S 87th 15 1/2 mts dist; 1st
 Elm 14 " " " N 62 E 27 " "

East Between Sec 15 & 22 T. N^o 10. N^o 37.
 5. 26 Set a post on the Right Bank of N. River for the
 cor. of tract Sec. 15 & 22 from which
 Elm 10 in dia: bears S 37 E. 13 1/2 mts dist; 1st
 13 Walnut 36 " " " N 47th 11 " "

North Between Sec 15 & 16 T. N^o 10. N^o 37. v. 7th 00
 4000 Set a post for the cor. of 14th Sec. from which
 Sugar. 24 in dia: bears N 49 E 11 1/2 mts dist; 1st
 Beech 6 " " " S 39 E. 23 " "
 8000 Set a post for the cor. of sec. 9. 10. 15 & 16 from which
 White 14 in dia: bears S 61th 18 1/2 mts dist; 1st
 Beech 11 " " " S 65 E. 27 " "
 Good hills; soil rich. Timber Walnut, Beech,
 Sugar, Poplar &c

East Between Sec 10 & 15 T. N^o 10. N^o 37.
 7. 50 Iron Rock 15 mts dist, Corner S.E.

471

Q. N^o 10. N.R. N^o 37. 2nd Mn. Sur^y

15.00 Set apart on the Right Bank of White River for
the cor. of Grad. sec. 16 & 15 from which
Elev 24 in dist. bears N 50 E. 21 into dist; & 2
Buckeye 9 " " S 24 E. 25 " "
Lands bottom which overflows

North Return Sec. 9 & 16. T. N^o 10 N.R. N^o 37.

24.00 To a Brook 15 1/2 miles Corner N.E.

40.00 Set apart for the cor. of 1/4 sec. from which
Buck. 12 in dist. bears S 46 W 10 the dist; & 2
L.O. 9 " " " N 39 E. 26 " "

42.00 To a Brook 15 1/2 miles, Corner S.E.

80.00 Set apart for the cor. of sec. 8, 9, 16 & 17 from which
Whit. 9 in dist. bears N 26 E. 10 the dist; & 2
Buck. 11 " " " S 61 W. 9 " "
Lands 30th rate hills;

North Between Sec. 16 & 17 T. N^o 10 N.R. N^o 37. Paid^m

40.00 Set a temp^y post for the cor. of 1/4 sec.

56.00 To a Brook 8 miles, Corner E.

65.00 " " L.O. 8 " " " E.

80.83 Intersect the E & W. line 10 miles East of the first
cor. of sec. 8, 9, 16 & 17.
Lands 30th rate hills.

South On the true line between Sec. 16 & 17 T. N^o 10. N.R. 37.

40.40 Set the temp^y post at the corner dist on the true line for
the cor. of 1/4 sec. made the cor. on an R. Oak. 24 in
diam.

80.83 To the first cor. of sec. 16 17, 20 & 21.

North Return Sec. 8 & 9 T. N^o 10. N.R. N^o 37. v 7.00

12.00 To a Brook 15 1/2 miles, Corner S.E.

T. N. 10. N. R. N. 37. 2nd Mer. Ind.

- 40.00 Set a post for the cor. of 14 cu. from which a
Buck 10 in dir. beam N 7 E. 15 links dist; 1 cu
N. Oak. 26 " " N 12 W. 20 " "
80.00 Set a post for the cor. of sec 4, 5, 8 & 9 from which a
Buck 9 in dir. beam S 7 E. 28 links dist; 8 cu
Lo. 10 " " " N 78 W. 4 " "
Lands soil and timber same as last mile

- North Between Sec. 4 & 5 T. N. 10. N. R. N. 37.
40.00 Set a post for the cor. of 14 cu. from which a
Sugar. 8 in dir. beam N 10 W. 6 links dist; 1 cu
Buck 16 " " " S 2 E. 28 " "
49.18 Set out the N. Boundary 65 links West of the
post cor. of sec. 32, 33 T. N. 11. N. R. N. 37. and set
a post for the cor. of sec. 4 & 5 from which a
Buck 10 in dir. beam N 81 E. 21 links dist; 1 cu
Lo 9 " " " N 61 W. 16 " "
East is same as last mile; N^o good for farm?

- East Between Sec. 4 & 9 T. N. 10 N. R. N. 37.
40.00 Set a post for the cor. of 14 cu. from which on
Oak 5 in dir. beam S 78 W. 39 links dist; 1 cu
Sugar. 13 " " " N 13 E. 30 " "
80.00 Set a post for the cor. of sec. 3, 4, 9 & 10 from which a
Buck 14 in dir. beam S 64 E. 34 links dist; 8 cu
Oak 10 " " " N 41 W. 31 " "
This mile low steep hills; rich soil.

- South On a Random line between Sec 9 & 10 T. N. 10 N. R. 37.
35.00 To a Brook 8 links wide; Corner E.
79.64 Set out the E & W line 5 links East of the post
cor. of sec. 9, 10, 15 & 16.
Pastured land; low hills; rich soil & good farming land

T. N. 10 NR N. 37. 2nd Mer. Sec. 4

Timber Sugar, Walnut, Ash, Poplar &c

North
39.89 Between Sec. 9 & 10 T. N. 10 NR. 37. true line
Set the temporary post at the av. dist. on the true line
for the cor. of 1/4 sec. from which a
Beach 18 in dist. bears N 34 W. 11 miles dist; 1/4
Sec. 12 " " " S 49 E. 38 " "
79.64 To the post cor. of sec. 3, 4, 9 & 10.

North
21.00 Between Sec. 3 & 4 T. N. 10 NR. 37. v. 7.06
To a Brook 30 miles wide, Corner E.
40.00 Set a post for the cor. of 1/4 sec. from which a
N. dist. 30 in dist. bears S 26 W. 7 miles dist; 1/4
Sugar. 14 " " " S 69 E. 32 " "
79.90 Into sec. the N. B. corner of T. N. 10 NR. 37.
15 miles West of the post cor. of sec. 33 & 34 T. N.
11 NR. 37. and set a post for the cor. of
sec. 3 & 4. From which a
Beach 6 in dist. bears N 6 E. 10 miles dist; 1/4
Sec. 18 " " " S 19 W. 25 " "
Sandstone ridges or hills; Timber Beech Sugar
Oak &c.

East
40.00 On a Random line between Sec. 3 & 10 T. N. 10 NR. 37.
Set a temporary post for the cor. of 1/4 sec.
77.85 Into sec. the N. & S. line 20 1/2 miles North of the post
cor. of sec. 2, 3, 10 & 11
Land West 1/2 hill; East 1/2 bottom land

West
38.90 On the true line between Sec. 3 & 10 T. N. 10 NR. 37.
Set the temporary post at the av. dist. on the true line
for the cor. of 1/4 sec. from which a
Beach 9 in dist. bears S 78 W. 4 1/2 miles dist and a

D. No. 10. N.R. No. 3 N. 2nd Mer. Sec. 2

77.85 N. Ash 14 in diam. bears N 84 E. 14 limbs dist; 12
 Into post cor. of sec. 3. 4. 9 & 10.

Nest Return Sec. 20 & 29 T. N. 10 N.R. No. 3 N.

40.00 Set apart for the cor. of 1/4 sec. from which a
 Sugar 16 in diam. bears. N 55 W. 14 limbs dist; 12
 Q. 16 " " " S 77 E. 39 " "

61.00 Iron Brook. 15 limbs dist; Cornus S.

80.00 Set apart for the cor. of sec. 19, 21, 29 & 30 from which a
 Hick 14 in diam. bears S 67 W. 14 limbs dist; 12
 Q. 11 " " " N 89 E. 10 " "
 This mile bottom lands; good overflows.

Nest Return Sec. 19 & 30 T. N. 10 N.R. No. 3 N. v. 530

40.00 Set apart for the cor. of 1/4 sec. from which a
 Sugar 20 in diam. bears. S 70 W. 13 limbs dist; 12
 Logwood 3 " " " N 87 E. 18 " "

78.33 Entered the West Boundary 232 limbs North of the
 post cor. of sec. 24 & 25 T. N. 10 N.R. No. 4 N. 1 set
 apart for the cor. of sec. 19 & 30 from which a
 Sugar 12 in diam. bears S 7 E. 28 limbs dist; 12
 Beech 15 " " " N 12 W. 25 " "

Sound low. hills; good for farming; Red oak;
 Iron Buckeye, Apple Oak etc.

South Return Sec. 29 & 30 T. N. 10 N.R. No. 3 N.

40.00 Set apart for the cor. of 1/4 sec. from which a
 Beech 6 in diam. bears N 45 E. 21 limbs dist; 12
 Q. 13 " " " N 88 W. 15 " "

78.25 Set apart on the Right Bank of W. River for the
 cor. of sec. 29 & 30 from which a
 Maple 11 in diam. bears East 15 limbs dist; 12
 Sycamore 15 " " " S 83 W. 30 " "

475

Q. N^o 10 N.R. N 37 W. 2nd Mer. Sec^o

Two miles a high upland. rich soil; Timber Sugar Oak, Beech & Spruce

West
200 Between Sec. 30 & 31. T. N^o 10 N.R. N 37 W.
Set a post on the Right Bank of White River for
the cor. of Sec. 30 & 31 from which
Michx. 17 in diam. bears S 127 W. 33 miles dist; ray
Sugar 9 " " " N 57 E. 11 " "
4000 Set a post for the cor. of 1/4 Sec. from which a
W. Walnut 9 in diam. bears S 85 E. 17 miles dist; ray
Do. 4 " " " N 38 W. 14 " "
78.83 Intersect the N 45 or Range line 164 miles North
of the post cor. of Sec. 25 & 36 T. N^o 10. N.R. N 47 W.
and set a post for the cor. of Sec. 30 & 31 from which
Sugar 10 in diam. bears N 29 W. 11 miles dist; ray
Do. 12 " " " East 15 " "
Sandy Rst oak; Timber Ash, Walnut & Hackberry
Some little broken

West Between Sec. 17, 20 T. N^o 10 N.R. N 37 W.
500 Iron Brook. 8 miles N.W., Corner S.
4000 Set a post for the cor. of Sec. from which
Maple 10 in diam. bears N 81 E. 10 miles dist; ray
Beech. 12 " " " N 28 W. 16 " "
5300 Iron small brook. Corner S.
8000 Set a post for the cor. of Sec. 17, 18, 19 & 20 from which
Hogwood 6 in diam. bears N 37 E. 11 miles dist; ray
Spruce 18 " " " S 87 W. 12 " "
Sandy East of low steep hills; West of low
Timber Beech, Oak, &c. not good for farming

South On a R. road line between Sec. 19 & 20 T. N^o 10 N.R. N 37 W.
4000 Set a trap post for cor. to 1/4 Sec. N Brook 15

I. N. 10 N. R. N. 3 W. 2nd Mer. Sec.

Units mile, Corner S.E.

- 79.91 Enter east the E. 1st line 45 units East of the post
cor. of Sec. 19. 20. 29 & 30.
This mile 2nd rate bottom lands.

- North. On above line Return Sec. 19 & 20 T. N. 10. N. R. 3 W.
39.95 Set a trap for spot at the corner dish on the true line for
the cor. of $\frac{1}{4}$ sec. from which
W. Buck. 7 in. dist. bears N 57 W. 5 units dish; 1 m.
Hickory 9 " " S 60 E. 46 " "
79.91 Set a post cor. of Sec. 17. 18. 19 & 20.

- West. Return Sec. 18 & 19 T. N. 10. N. R. 3 W.
16.00 To a Brook. 15 the miles, Corner S.E.
40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which
Buck. 7 in. dist. bears N 22 E. 16 the dish; 1 m.
Hickory 9 " " S 23 E. 5 " "
78.00 Enter east the W. Boundary. 282 units South of the
post cor. of Sec. 13 & 24 T. N. 10 N. R. N. 4 W. and
set a post for the cor. of Sec. 18 & 19 from which
Buck. 11 in. dist. bears S 69 E. 9 units dish; 1 m.
W. Oak. 18 " " S 77 W. 11 " "
Lands here in low hills; good deal broken in time.
Parks; good soil; Timber Beech, Sugar, Poplar,

- North. Return Sec. 17 & 18 T. N. 10 N. R. N. 3 W. v. 7th m.
8.00 To a Brook 6 units mile S.E. S. W.
40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which
Buck. 7 in. dist. bears S 51 E. 3 the dish; 1 m.
H. 7 " " S 54 W. 2 " "
80.00 Set a post for the cor. of Sec. 7. 8 17 & 18 from which
Buck. 6 in. dist. bears N 88 E. 6 units dish; 1 m.
H. 10 " " S 71 W. 18 " "

477

T. N. 10. N.R. N. 37. 2nd Mer. Sud's

East On a random line between Sec. 8 & 17 T. N. 10. N.R. 37.
 40.00 Set a trip. post for the cor. of 74 sec.
 79.57 Enter cut the N 85 line 26 miles South of the post
 cor. of sec. 8. 9. 16 & 17
 Soils very rich; Timber same; Soil good 2nd rate

West On the true line between Sec. 8 & 17 T. N. 10. N.R. 37.
 39.78 Set the trip. post at the av. dist. on the true line
 for the cor. of 74 sec. from which a
 43 Oak. 24 in diam. bears N 48 E. 25 bu. dist;
 Sugar. 12 " " " S 57 N. 9 " "
 79.57 To the post cor. of sec. 7. 8. 17. & 18

West Between Sec. 7 & 18 T. N. 10. N.R. 37.
 2.50 To a Brook 8 miles mid. Course S.
 40.00 Set a post for the cor. of 74 sec. from which
 N. Oak. 14 in diam. bears N 33 E. 15 bu. dist; 1 a
 N. Oak. 18 " " " N 83 N. 31 " "
 47.62 Enter cut the West Boundary 250 miles South of the
 post cor. of sec. 12 & 13. T. N. 10. N.R. N. 47. and set
 a post for the cor. of sec. 7 & 18 from which
 Beech. 9 in diam. bears N. E. 18 bu. dist; 1 a
 L. O. 4 " " " S 19 N. 23 " "
 Soils Soil and timber same as last mile.

North Between Sec. 7 & 8. T. N. 10. N.R. N. 37.
 40.00 Set a post for the cor. of 74 sec. from which
 Beech. 11 in diam. bears S 6 E. 12 bu. dist; 1 a
 Hick. 12 " " " N 55 N. 14 " "
 80.00 Set a post for the cor. of sec. 5. 6. 7. 8. from which
 Sugar. 12 in diam. bears S 58 E. 26 bu. dist; 8 a
 L. O. 12 " " " N 40 N. 18 " "
 Soils muddy and some part rather broken

T. N. 10 N. R. N. 3 M. 2nd Mer. Sec. 3

Imiter Oak. Buck Sugar. &c.

October 8 1815.

West Bottom Sec. 25 & 36 T. N. 10 N. R. N. 3 M.
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which
 a Buck 8 in dist. bears S 78 E. 8 miles dist; & as
 Loc. 9 " " " S 69 N. 22 " "
 50.50 To a Brook 25 miles wide, Corner N.
 80.00 Set a post for the cor. of sec. 25, 26, 35 & 36 from which
 a Poplar 48 in dist. bears N 46 E. 4 lbs dist; & as
 a Buck 16 " " " S 56 N. 14 " "
 Sand work and muddling for farming; Timber Oak
 & Buck And goods;

South On a Random line between Sec. 35 & 36 T. N. 10 N. R. 3 M.
 40.00 Set a temporary post for the cor. of $\frac{1}{4}$ sec.
 43.50 To a Brook. 20 miles wide, Corner N.
 80.25 Enter sec. the E. N. line 14 miles N. W. of the post cor.
 of sec. 35 & 36
 Sand pit and timber same as last mile.

North On a true line between Sec. 35 & 36 T. N. 10 N. R. 3 M.
 40.12 1/2 Set the temporary post at the cor. dist on the true line
 for the cor. of $\frac{1}{4}$ sec. from which
 a Buck 5 in dist. bears S 53 E. 24 lbs dist; & as
 Loc. 8 " " " " N 72 N. 20 " "
 80.25 To the post cor. of sec. 25, 26 & 35 & 36.

West Bottom Sec. 26 & 35 T. N. 10 N. R. N. 3 M.
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
 Hickory 10 in dist. bears S 19 E. 5 1/2 lbs dist; & as
 a Buck 9 " " " " N 39 N. 6 " "
 80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which

479

I. No 10 N.R. No 3 M 2nd Mer. Sur.

a N. Oak 18 in diam. bears S 10 W. 11 links dist; r
 Buck 10 " " " N 11 E. 5 " "
 Same soil and timber same as last mile.

South
 40. 00 On a Random line between Secs 34 & 35. T. N. 10. N. R. 3. W.
 Get the temp^l post for the cor. to 1/4 Sec.
 80. 68 Intersected the E. & W. line 60 links W. of the post set for the
 Cor. of Secs 34 & 35. Land same as on the last mile.

North
 46. 34 On a true line between Secs 34 & 35. T. N. 10. N. R. 3. W.
 Get the temp^l post on the true line at the aver. dist. for 1/4 Sec.
 Cor. from which a
 Buck 4 in diam. bears S. 8. E. 5. links dist & a
 Sec. 9. " " " N. 10. W. 36. " "

Oct 9th 1815.

South
 40. 00 On a Random line between Secs 26 & 27. T. N. 10. N. R. 3. W.
 Get the temp^l post for the cor. of 1/4 Sec.
 70. 50 To a Brook 15 links wide. Course W.
 79. 81 Intersect the E & W. line 66 links W. of the post cor. of
 Secs 26, 27, 34 & 35. Land here much muddling soil
 Timber Oak, Ash, Beech, & Hickory.

North
 39. 90 On the true line between Secs 26 & 27. T. N. 10. N. R. 3. W.
 Get the temp^l post at the aver. dist. on the true line
 for the cor. of 1/4 Sec. From which a
 Buck 5 in diam. bears — S 16 E. 10 links dist; r
 Hick 10 " " " N 76 W. 11 " "
 79. 81 To the post cor. of Secs 22, 23, 26 & 27

West
 40. 00 Between Secs 22 & 27. T. N. 10. N. R. 3. W.
 Set a post for the cor. of 1/4 Sec. From which a
 Sugar 12 in diam. bears S 54 W. 17 links dist; r

D. N^o 10 N.R. N^o 377. 2nd Mer. Sec^y

Run 10 in dir: bear N13 E 21 links dist; r^y
 80.00 Set a post for the cor. of sec. 21, 22, 27 & 28 from which
 a Run 14 in dir: bear N18 W. 4 the dist; r^y
 14.00 " " " S38 E. 19 " "
 Land very hilly, soil rich, Timber Oak, Ash, Poplar
 Birch & Sugar.

South Between Sec^y 27, 28 & D. N^o 10 N.R. N^o 377.
 15.00 To a Brook 12 links wide, Corner West
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec from which a
 Run 11 in dir: bear N1 E. 16 links dist; r^y
 16.00 " " " S37 N. 26 " "
 40.50 To a Brook 10 links wide, Corner W.
 65.50 " " Small Brook. Corner N.R.
 80.00 Set a post for the cor. of sec. 27, 28, 33 & 34 from which
 a Run 15 in dir: bear East 11 links dist; r^y
 15.00 " " " S89 W. 24 " "
 Land soil well timber same as last mile.

South On a Run due between Sec^y 33 & 34 & D. N^o 10 N.R. N^o 377.
 40.00 Set a temporary post for the cor. of $\frac{1}{4}$ sec.
 76.00 To a Brook 5 links wide, Corner West
 80.00 Enter out the E & W line 35 links East of the post cor.
 of sec. 34 & 35.
 Land very hilly; thin soil Timber Oak & Birch.

North On the true line between Sec^y 33 & 34 & D. N^o 10 N.R. N^o 377.
 40.00 Set the temporary post at the corner dist in the true line
 for the cor. of $\frac{1}{4}$ sec. from which
 (Run 9 in dir: bear N25 W. 29 the dist; r^y
 14.00 " " " S13 E. 2 " "
 80.00 Set the post on the true line between Sec^y 27, 28, 33 & 34

481

N. No 10 N.R. No 37. 2nd Mer. Sect.

East
37.50 On a Random line between Sec. 27 & 34 T. N. 10. R. 37.
To a Brook - 1/2 mile, Corner N.W.
40.00 Set a temporary post for the cor. of 1/4 Sec.
45.00 To a Brook - 1/2 mile, Corner N.
49.85 Intersect the N & S line 35 miles North of the post.
cor. of sec. 26. 27. 34 & 35
Ground very chilly; (Pine Oak, Beech, Hickory & Sugar

West
39.92 On the true line between Sec. 27 & 34 T. N. 10. R. 37.
Set the temporary post at the acon. dish on the true line
for the cor. of 1/4 Sec. from which a
Beech 15 in diam. bears S 21 E. 21 miles dish; or
20. 11 " " N 15 W. 5 " "

East
40.00 On a Random line between Sec. 5 & 8 T. N. 10. R. 37.
Set a temporary post for the cor. of 1/4 Sec.
48.90 Intersect the N & S line 17 miles South of the post.
cor. of sec. 4. 5. 8 & 9
Ground middling; (Pine Oak, Beech, Sugar Poplar
Sugar Oak, & Ash, 2nd rate Sect.

West
39.45 On the true line between Sec. 5 & 8 T. N. 10. R. 37.
Set the temporary post at the acon. dish on the true line
for the cor. of 1/4 Sec. from which a
Beech 10 in diam. bears S 58 W. 12 miles dish; or
Oak 36 " " N 76 E. 5 " "
48.90 To the post cor. of sec. 5 & 8.

West
500 Between Sec. 6 & 7 T. N. 10. R. 37. & sec. 5 & 6
To a Brook 5 miles, Corner S.E.
40.00 Set a post for the cor. of 1/4 Sec. from which a
Sugar 10 in diam. bears S 70 E. 35 miles dish; or
Oak 13 " " N 12 W. 37 " "

T. N. 10 N. R. N. 37. 2nd Mer. Sec. 7

46.72 Intersect the N. Boundary 7 3/4 miles North of the post
cor. of sec. 1 & 10 T. N. 10 N. R. N. 47 and set
apost for the cor. Sec. 6 & 7 from which
Sugm. 8 mi. dist. bears S 4 E. 17 miles north; 1/2
Logwood 5 " " " N 63 W. 11 " "
Land set and timber same as last mile. 7/12 broken

North Between Sec. 5 & 6 T. N. 10 N. R. N. 37.

40.00 Set apost for the cor. of 74 sec. from which a
Buck. 4 mi. dist. bears S 86 E. 10 miles north; 1/2
Log. 11 " " " S 88 W. 16 " "

48.03 Intersect the N. Boundary at the post set for the
cor. of sec. 31 & 32 T. N. 11 N. R. N. 37.
Land set and timber same as last mile; S 1/2 broken

*Meanders of White River. Right Bank
Commenced at the Township Line Between T. 310 & 40
N. Range 2 & 3 W. thence downstream in Sec. 1*

S 46 W.	4.07	
S 67 W.	6.24	
S 80 W.	7.28	
S 74 W.	6.91	In Sec. 1.
N 78 W.	11.22	
N 60 W.	7.19	
N 43 W.	8.03	
N 69 W.	8.07	
N 85 W.	5.48	
S 69 W.	5.48	
S 52 W.	9.11	
N 60 W.	7.27	
N 42 W.	3.88	To the post cor. of sec. 1 & 2. thence

N. 53 W. 4.25

T. N^o 10. N.R. N^o 37. 2nd Mer. Sud^a

N64N	264	in Sec. 2.	
N73N	4.84		
N67N	245		
N79N	7.20		
S88N	4.43		
N87N	2.96		
S76N	5.49		
S70N	7.00		
S86N	3.34		
S80N	3.13		
S69N	13.06		
S45N	8.20		
S57N	3.22		
S44N	8.36		
S31N	13.74		
South	0.74	To the post in line of sec. 283.	N 5.25'
S43N	8.67		
S16N	8.50		
S38E	4.86	in Sec. 3.	
S36E	6.73		
S37E	3.50		
S61E	3.10		
S30E	0.40	To the post in line of Sec. 283. N. 5.25'	
S67E	8.76	in Sec. 2	
S5E	2.09		
S19E	0.50	To the post in line between Sec. 281 N. 5.25'	
S52N	9.60	in Sec. 11	
South	0.50	To the post in line of sec. 10 & 11. N. 5.25'	
S86N	9.39	in Sec. 10	

V. N.º 10 RR. N.º 37. 2.ª de Mar. Ind.ª

821 N.	2.30
856 N.	1.68
980 N.	2.51
South-	5.26
84 E.	3.42
84 N.	7.37
839 E.	5.08
850 E.	9.79
847 N.	15.21
837 N.	7.34
852 N.	11.00
845 N.	9.37
878 N.	12.94
848 N.	3.60
844 N.	5.84
849 N.	6.50
866 E.	0.63

Dec. 10

To the post in line between Dec 10 & 15. W. T. 10!

\$24 W.	6.31
\$7 E.	6.41
\$28 E.	6.78
\$28 W.	1.73
\$12 W.	6.76
\$34 W.	3.86
\$23 W.	5.15
\$10 E.	37.24
\$62 W.	5.93
\$52 W.	8.18
\$24 E.	0.57

in Lev 15

To post in his office 15/22 then

S. M. —

The cases in Sec. 22, W.Bk. are omitted from the copy of 21522 there

4567 381

485

T. N^o 10. N. R. N^o 3 W. 2nd Mer. Indiana

S60 N.	5.79	
S48 N.	7.04	
S45 N.	3.91	
S45 N.	8.50	
S11 N.	7.70	In Sec 21.
South	6.39	
S3 E.	13.25	
S2 N.	17.02	
S3 E.	14.28	
East	0.39	To the post in line between Sec 21. & 28.
S5 N.	4.16	
S26 N.	3.46	
S68 N.	7.03.	In Sec. 28
S77 N.	10.30	
N86 N.	25.57	at 13. ch. 1.50 lbs to the river
N77 N.	9.15	
N86 N.	3.49	
South.	0.15	To the post in line of Sec. 29. & 28.
Meanders of the Right Bank. Continued		
Commenced in the same line in Sec. 31. T. N ^o 10. N.		
R. N ^o 3 W. thence up the river		
S89 E.	3.26	
East	3.16	
S85 E.	2.40	
S76 E.	1.27	
S83 E.	2.98	In Sec. 31
S69 E.	5.90	
S74 E.	3.34	
S64 E.	19.83	at 950 on this corner 2.00 ch to river
S87 E.	3.57	
S82 E.	7.62	

487

T. N^o 10. N. R. N^o 377. D^m. Mr. L. d.

Meanders of the Left Bank of White River
Commenced at the post in line between L^o 182. thence

S68E.	9.54	at 900 ch. Spring; Corner N. 100th side.
N57E.	15.58	at 750 - 250 ch. to the river.
S45E.	19.04	Up stream
S65E.	9.81	
S82E.	13.43	In. 1.
S87E.	6.35	
S80E.	4.30	
N83E.	4.80	at 400 about 20th side.
N70E.	8.61	To the Range line T ^o 10 & 10 N. R. 2737.
North	1.50	To the River.

Commenced at the cor of sec. 2 & 11 thence up stream

N47N.	4.28	in sec. 2
N35N.	2.50	
N54N.	17.42	
N87N.	2.80	
N17N.	3.45	
N38E.	35.53	at 17. ch. 2 ch. to the river
N59E.	9.57	
N75E.	5.02	
N82E.	1.99	
S77E.	1.57	upper end of Island
N68E.	22.05	
S80E.	10.90	
S32E.	6.41	
S58E.	5.86	
S73E.	3.00	
North	0.19	To the cor of sec. 2 & 11

Commenced at the cor of sec. 2 & 11 thence down
stream. in sec. 11.

J. No 10. N.R. No 377. 2nd Mer. Ind?

<i>J137.</i>	<i>5.34</i>	
<i>J237.</i>	<i>4.50</i>	<i>In Sec. 11</i>
<i>J147.</i>	<i>1.94</i>	
<i>J227.</i>	<i>3.24</i>	<i>2538</i>
<i>J427.</i>	<i>3.91</i>	
<i>J427.</i>	<i>5.39</i>	
<i>J877.</i>	<i>1.06</i>	<i>To the post in line between Sec. 10 & 11.</i>

<i>Commenced at the post in line between Sec. 10 & 15 thence up stream in Sec. 10</i>		
<i>N40E.</i>	<i>4.57</i>	
<i>N79E.</i>	<i>9.75</i>	
<i>N70E.</i>	<i>7.50</i>	
<i>N60E.</i>	<i>6.21</i>	
<i>N64E.</i>	<i>4.96</i>	
<i>N57E.</i>	<i>5.96</i>	
<i>N48E.</i>	<i>8.15</i>	
<i>N43E.</i>	<i>9.93</i>	<i>at 5.50 broke 15th mile.</i>
<i>N38E.</i>	<i>11.63.</i>	<i>Intersect the line between Sec 10. & 11 37.00 ch N of the cor. of sec. 10. 11. 14 & 15 - r. J. 10</i>

<i>Commenced at the post cor of sec 15 & 22 J. No 10 - thence up stream in Sec. 15.</i>		
<i>N63E.</i>	<i>9.34</i>	
<i>N22E.</i>	<i>7.67</i>	
<i>N27.</i>	<i>5.55</i>	
<i>N137.</i>	<i>29.68</i>	<i>at 15. ch. 2.50 to the river</i>
<i>N28E.</i>	<i>3.61</i>	
<i>N18E.</i>	<i>7.31</i>	
<i>N1E.</i>	<i>7.53.</i>	
<i>N7E.</i>	<i>16.48</i>	<i>at 8.00 250 to river</i>
<i>N20E.</i>	<i>1.71</i>	<i>To the post in line between Sec. 10 & 15</i>

489

S. N. 10. N. R. N. 3. N. 2nd N. S. Ind. a.

Commenced at the cor. of sec. 21. 122 thence up stream
N. E. Lat. 10.00 Sep. 14. 64.

Commenced at the cor. of sec. 21. 122 thence down stream
S 57. N 13.00 in Sec. 21.

S 36. N. 13.50

S 4 E. 31.50 A difference of an out in this course between
the chain corners; One makes 26.50.

S 1 E. 20.09

East. 0.55 To the post in line between Sec. 21 & 28. thence

S 5 N. 4.50 in Sec. 28. down stream. Left Bank

S 27 N. 24.50

S 62 N. 7.41

S 67 N. 5.98

S 61 N. 6.50

S 78 N. 7.00

West 16.50

N 80 N. 6.00

N 72 N. 9.00

West 4.34

North 0.30 To the cor. of sec. 28. & 29 71.5° 50'. thence

West 11.00 in Sec. 29. Left Bank. down stream

N 83 N. 48.50

South 0.50

S 80 N. 4.21

S 47 N. 2.27

South 13.00

East 0.72

S 19 E. 3.00

S 26 E. 21.74

S 4 N. 8.00

T. N^o 10. NR. N^o 37th 2nd Mer. Ind.S147th 11.77S247th 6.18S437th 5.94S637th 5.22

S. cutch 0.09 To the cor. of sec 29, & 32 Thence

S. 77th Latitude 5.00 Dep. 10 The post in line of sec.
31 & 32. in sec. 32, Thence

South 23.00 at 11.50 ch. 1.50 West to the river

S. E. Lat. 15.50 Dep. 7.27

South 9.00

S. 77th Lat. 2.00 — Dep. 7. To cor. of sec. 31 & 32, ThenceS567th 7.55 at 7.00 ch. brook. 20 th. N.N817th 8.23.S897th 10.44N817th 10.82N757th 2.50N827th 2.50N797th 18.58N707th 3.11N687th 8.81N587th 7.85S877th 8.25 To Range line between R. 31 & 47th Sec. 31 & 36

Surveyed by William Harris. L.L.S.

I certify that the foregoing transcript of the field notes of Township N^o 10. South of Range N^o 37 West 2nd Mer. Indiana, has been compared with the Original notes in this Office, and found to be correct.

Surveyor General's Office,
Cincinnati, La. 18 1840

E. S. Harris

Sur. Genl. 2-3